



Velika logična pošast




Točke na paraboli

Na krivulji, ki ji rečemo parabola, je dano pet točk.
Izmeri dolžine daljice FA_i in razdaljo $d(a, A_i)$, to je,
razdaljo točke A_i do premice a .
Ali opaziš kaj zanimivega?


1.




2.




3.




4.




5.




6.




7.




8.




9.




10.




11.




12.




13.




14.




15.




16.




17.




18.




19.




20.




21.




22.




23.




24.




25.




26.




27.




28.



29.




30.




Rešitve:

1.




i	$ FA_i $	$d(a, A_i)$
1	1.37	1.37
2	1.47	1.47
3	0.41	0.41
4	0.35	0.35
5	1.1	1.1

2.




i	$ FA_i $	$d(a, A_i)$
1	0.54	0.54
2	1.79	1.79
3	1.	1.
4	1.95	1.95
5	1.28	1.28


3.




4.




5.




6.




7.




8.




9.




10.




11.




12.




13.




14.




15.




16.




17.



18.




19.




i	$ FA_i $	$d(a, A_i)$
1	1.29	1.29
2	1.17	1.17
3	1.28	1.28
4	0.71	0.71
5	1.51	1.51

20.




i	$ FA_i $	$d(a, A_i)$
1	1.33	1.33
2	1.07	1.07
3	0.82	0.82
4	1.1	1.1
5	0.97	0.97


21.




22.




23.




24.




25.




26.




27.



28.



29.



30.

