


Velika logična pošast



Meritve in napake

Na različnih inštrumentih je opravljena meritev.
Natančnost inštrumenta je dana v procentih.
Določi spodnjo in zgornjo mejo za izmerjeno količino.

1.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
82	10			
94	4			
50	5			
90	5			
55	10			
64	10			
22	2			
65	4			
42	8			
80	8			
12	4			
45	4			
66	4			
94	10			
80	10			
21	1			
23	1			
91	8			
66	2			
97	8			
93	10			
88	10			
98	5			
49	8			
79	10			

2.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
10	4			
13	5			
74	8			
48	10			
75	8			
95	10			
43	8			
29	2			
84	1			
84	1			
31	1			
24	1			
42	1			
51	5			
11	10			
70	5			
38	8			
26	1			
83	2			
85	8			
31	5			
39	2			
72	1			
40	10			
35	4			

3.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
87	8			
26	5			
93	5			
29	1			
64	5			
76	10			
47	10			
89	5			
69	10			
71	4			
43	10			
45	1			
67	1			
57	8			
44	8			
77	1			
80	5			
74	8			
80	1			
86	2			
23	4			
74	5			
29	2			
95	4			
22	8			

4.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
94	10			
90	2			
95	2			
92	1			
17	2			
43	5			
90	4			
43	1			
82	4			
81	8			
73	10			
35	4			
16	5			
51	2			
40	1			
78	2			
27	5			
84	5			
26	5			
72	2			
71	8			
17	10			
56	5			
23	2			
40	1			

5.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
11	2			
10	5			
18	2			
41	10			
46	2			
88	2			
86	4			
92	5			
95	2			
29	8			
72	5			
90	5			
52	1			
85	5			
78	1			
98	8			
23	5			
92	1			
55	4			
88	8			
79	1			
87	8			
63	10			
79	5			
63	2			

6.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
68	2			
66	1			
13	5			
26	5			
33	4			
98	10			
63	4			
41	10			
21	8			
27	5			
70	8			
49	1			
14	8			
31	8			
51	1			
39	5			
79	5			
90	5			
70	1			
14	4			
44	2			
25	5			
19	1			
12	10			
56	4			

7.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
26	5			
17	8			
17	4			
34	5			
58	4			
19	1			
31	1			
18	10			
36	10			
35	4			
43	5			
21	5			
60	5			
52	1			
45	8			
21	1			
89	2			
85	4			
83	2			
22	5			
96	2			
44	1			
10	10			
74	2			
95	5			

8.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
53	10			
90	10			
49	8			
79	10			
52	4			
96	8			
27	4			
52	4			
24	10			
28	8			
35	8			
93	10			
16	2			
50	5			
100	1			
39	2			
17	2			
55	2			
55	2			
76	8			
48	4			
91	1			
77	2			
99	10			
48	4			

9.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
45	4			
45	1			
93	5			
57	1			
56	2			
92	10			
28	1			
49	10			
61	2			
77	1			
85	2			
46	5			
20	1			
30	2			
28	2			
98	1			
83	8			
48	10			
58	10			
37	5			
38	4			
52	1			
20	2			
100	10			
86	8			

10.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
72	10			
37	4			
15	8			
40	5			
68	8			
57	2			
34	4			
65	4			
79	5			
60	4			
52	4			
35	4			
91	10			
18	2			
21	4			
46	5			
32	8			
55	2			
47	10			
100	4			
13	8			
26	5			
23	5			
82	1			
29	8			

11.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
68	4			
96	8			
53	1			
60	1			
64	2			
57	10			
35	5			
43	5			
21	2			
27	4			
69	5			
82	10			
32	1			
47	4			
80	8			
38	10			
94	10			
71	5			
90	1			
73	4			
72	10			
28	1			
37	10			
69	5			
24	1			

12.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
52	1			
90	5			
64	1			
59	1			
60	8			
53	10			
14	8			
58	1			
47	1			
37	10			
92	10			
12	10			
79	5			
27	8			
96	4			
65	1			
52	1			
15	5			
93	8			
48	10			
58	10			
18	10			
32	4			
21	2			
17	10			

13.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
65	5			
45	5			
17	10			
22	5			
43	4			
54	10			
80	5			
94	10			
48	2			
37	1			
33	4			
53	8			
10	8			
55	5			
79	8			
95	2			
10	8			
24	10			
15	8			
91	10			
81	5			
45	4			
34	5			
56	2			
73	10			

14.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
98	2			
98	8			
17	5			
75	1			
41	8			
55	10			
92	1			
63	10			
42	2			
36	10			
78	5			
64	4			
74	4			
36	4			
92	4			
27	1			
40	10			
76	1			
50	4			
51	10			
89	5			
28	8			
50	10			
42	10			
48	8			

15.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
58	10			
43	1			
47	8			
100	5			
82	2			
38	5			
47	4			
62	5			
93	10			
94	10			
10	1			
54	1			
26	1			
91	8			
23	4			
18	2			
88	4			
66	8			
92	1			
40	5			
49	1			
92	8			
40	1			
82	10			
73	8			

16.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
29	2			
22	8			
66	1			
21	8			
89	8			
75	5			
92	4			
62	1			
18	8			
97	10			
57	8			
76	1			
58	8			
50	10			
72	1			
44	1			
36	8			
54	8			
100	2			
84	10			
39	2			
98	4			
37	4			
46	10			
19	10			

17.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
22	8			
74	2			
96	4			
65	2			
50	8			
69	2			
65	4			
53	5			
64	5			
55	8			
14	2			
98	4			
42	5			
71	2			
47	10			
45	2			
79	8			
39	10			
32	1			
17	1			
57	4			
29	2			
59	5			
68	4			
83	4			

18.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
59	10			
37	2			
27	1			
48	8			
77	4			
90	8			
68	1			
65	8			
24	10			
14	8			
50	5			
62	5			
38	10			
49	5			
47	5			
62	2			
68	1			
82	2			
79	2			
79	4			
94	8			
17	4			
50	5			
86	10			
81	4			

19.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
30	2			
70	2			
77	5			
45	1			
29	10			
77	2			
92	8			
18	2			
33	10			
39	8			
19	2			
49	1			
73	4			
79	10			
56	1			
16	1			
54	5			
85	1			
89	2			
76	5			
35	10			
92	1			
69	10			
70	5			
28	2			

20.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
60	2			
59	1			
21	5			
84	5			
74	1			
63	10			
59	4			
64	4			
22	1			
100	8			
16	4			
43	10			
10	4			
100	4			
39	10			
35	2			
99	2			
55	5			
55	1			
100	4			
26	2			
24	2			
39	1			
12	5			
58	10			

21.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
24	1			
71	2			
89	10			
37	1			
53	4			
15	2			
88	4			
70	8			
36	4			
56	8			
54	10			
86	8			
73	4			
15	4			
73	2			
89	5			
55	10			
39	5			
93	4			
20	8			
12	5			
64	4			
34	5			
72	1			
62	4			

22.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
42	2			
62	5			
72	8			
27	1			
15	8			
86	5			
53	1			
78	4			
15	5			
85	2			
57	8			
16	10			
32	10			
33	5			
75	8			
57	8			
55	2			
15	10			
49	1			
99	1			
51	10			
85	4			
44	2			
49	1			
24	5			

23.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
44	1			
74	1			
90	5			
19	5			
98	10			
70	5			
98	1			
26	10			
100	1			
85	4			
65	10			
25	10			
71	10			
57	5			
33	2			
92	4			
30	2			
57	5			
51	8			
20	5			
91	5			
80	2			
69	5			
69	1			
76	8			

24.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
14	10			
81	10			
77	8			
35	8			
43	4			
88	8			
91	8			
56	5			
99	4			
86	4			
74	1			
76	2			
63	1			
78	4			
14	2			
37	4			
70	1			
12	4			
44	2			
100	1			
60	10			
10	10			
68	4			
55	5			
65	8			

25.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
48	4			
45	5			
81	8			
42	5			
32	1			
51	10			
20	10			
84	4			
27	10			
97	8			
49	5			
32	2			
18	8			
48	10			
24	5			
84	10			
47	10			
75	5			
12	4			
37	10			
11	10			
63	8			
57	8			
21	1			
26	10			

26.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
96	1			
61	1			
87	8			
66	10			
87	8			
51	10			
94	5			
85	2			
29	10			
77	10			
42	5			
65	10			
59	4			
52	5			
56	4			
64	1			
17	8			
55	5			
72	8			
98	8			
31	5			
60	2			
20	5			
33	4			
27	10			

27.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
28	5			
88	8			
70	8			
22	1			
31	1			
29	8			
36	1			
17	8			
92	8			
36	1			
25	10			
95	1			
11	2			
60	2			
89	5			
38	5			
96	10			
62	5			
42	10			
23	8			
81	4			
42	1			
23	4			
12	4			
26	2			

28.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
37	2			
59	5			
15	8			
52	1			
87	10			
25	2			
51	5			
69	1			
99	4			
73	5			
81	5			
60	2			
25	5			
82	5			
60	2			
30	5			
76	5			
73	4			
53	10			
95	5			
89	2			
95	4			
87	8			
14	1			
93	1			

29.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
74	2			
63	4			
32	4			
18	4			
49	10			
95	2			
25	10			
27	4			
32	8			
22	5			
87	1			
42	1			
17	4			
87	2			
96	10			
13	1			
42	5			
59	5			
86	5			
17	8			
50	10			
96	5			
34	4			
100	5			
69	4			

30.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
92	8			
51	10			
22	1			
61	10			
30	2			
66	10			
17	8			
82	10			
69	4			
14	2			
10	10			
12	5			
46	4			
45	4			
60	5			
28	1			
29	5			
98	8			
84	8			
87	5			
86	4			
35	8			
55	10			
79	2			
30	10			

Rešitve:

1.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
82	10	8.2	73.8	90.2
94	4	3.76	90.24	97.76
50	5	2.5	47.5	52.5
90	5	4.5	85.5	94.5
55	10	5.5	49.5	60.5
64	10	6.4	57.6	70.4
22	2	0.44	21.56	22.44
65	4	2.6	62.4	67.6
42	8	3.36	38.64	45.36
80	8	6.4	73.6	86.4
12	4	0.48	11.52	12.48
45	4	1.8	43.2	46.8
66	4	2.64	63.36	68.64
94	10	9.4	84.6	103.4
80	10	8.	72.	88.
21	1	0.21	20.79	21.21
23	1	0.23	22.77	23.23
91	8	7.28	83.72	98.28
66	2	1.32	64.68	67.32
97	8	7.76	89.24	104.76
93	10	9.3	83.7	102.3
88	10	8.8	79.2	96.8
98	5	4.9	93.1	102.9
49	8	3.92	45.08	52.92
79	10	7.9	71.1	86.9

2.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
10	4	0.4	9.6	10.4
13	5	0.65	12.35	13.65
74	8	5.92	68.08	79.92
48	10	4.8	43.2	52.8
75	8	6.	69.	81.
95	10	9.5	85.5	104.5
43	8	3.44	39.56	46.44
29	2	0.58	28.42	29.58
84	1	0.84	83.16	84.84
84	1	0.84	83.16	84.84
31	1	0.31	30.69	31.31
24	1	0.24	23.76	24.24
42	1	0.42	41.58	42.42
51	5	2.55	48.45	53.55
11	10	1.1	9.9	12.1
70	5	3.5	66.5	73.5
38	8	3.04	34.96	41.04
26	1	0.26	25.74	26.26
83	2	1.66	81.34	84.66
85	8	6.8	78.2	91.8
31	5	1.55	29.45	32.55
39	2	0.78	38.22	39.78
72	1	0.72	71.28	72.72
40	10	4.	36.	44.
35	4	1.4	33.6	36.4

3.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
87	8	6.96	80.04	93.96
26	5	1.3	24.7	27.3
93	5	4.65	88.35	97.65
29	1	0.29	28.71	29.29
64	5	3.2	60.8	67.2
76	10	7.6	68.4	83.6
47	10	4.7	42.3	51.7
89	5	4.45	84.55	93.45
69	10	6.9	62.1	75.9
71	4	2.84	68.16	73.84
43	10	4.3	38.7	47.3
45	1	0.45	44.55	45.45
67	1	0.67	66.33	67.67
57	8	4.56	52.44	61.56
44	8	3.52	40.48	47.52
77	1	0.77	76.23	77.77
80	5	4.	76.	84.
74	8	5.92	68.08	79.92
80	1	0.8	79.2	80.8
86	2	1.72	84.28	87.72
23	4	0.92	22.08	23.92
74	5	3.7	70.3	77.7
29	2	0.58	28.42	29.58
95	4	3.8	91.2	98.8
22	8	1.76	20.24	23.76

4.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
94	10	9.4	84.6	103.4
90	2	1.8	88.2	91.8
95	2	1.9	93.1	96.9
92	1	0.92	91.08	92.92
17	2	0.34	16.66	17.34
43	5	2.15	40.85	45.15
90	4	3.6	86.4	93.6
43	1	0.43	42.57	43.43
82	4	3.28	78.72	85.28
81	8	6.48	74.52	87.48
73	10	7.3	65.7	80.3
35	4	1.4	33.6	36.4
16	5	0.8	15.2	16.8
51	2	1.02	49.98	52.02
40	1	0.4	39.6	40.4
78	2	1.56	76.44	79.56
27	5	1.35	25.65	28.35
84	5	4.2	79.8	88.2
26	5	1.3	24.7	27.3
72	2	1.44	70.56	73.44
71	8	5.68	65.32	76.68
17	10	1.7	15.3	18.7
56	5	2.8	53.2	58.8
23	2	0.46	22.54	23.46
40	1	0.4	39.6	40.4

5.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
11	2	0.22	10.78	11.22
10	5	0.5	9.5	10.5
18	2	0.36	17.64	18.36
41	10	4.1	36.9	45.1
46	2	0.92	45.08	46.92
88	2	1.76	86.24	89.76
86	4	3.44	82.56	89.44
92	5	4.6	87.4	96.6
95	2	1.9	93.1	96.9
29	8	2.32	26.68	31.32
72	5	3.6	68.4	75.6
90	5	4.5	85.5	94.5
52	1	0.52	51.48	52.52
85	5	4.25	80.75	89.25
78	1	0.78	77.22	78.78
98	8	7.84	90.16	105.84
23	5	1.15	21.85	24.15
92	1	0.92	91.08	92.92
55	4	2.2	52.8	57.2
88	8	7.04	80.96	95.04
79	1	0.79	78.21	79.79
87	8	6.96	80.04	93.96
63	10	6.3	56.7	69.3
79	5	3.95	75.05	82.95
63	2	1.26	61.74	64.26

6.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
68	2	1.36	66.64	69.36
66	1	0.66	65.34	66.66
13	5	0.65	12.35	13.65
26	5	1.3	24.7	27.3
33	4	1.32	31.68	34.32
98	10	9.8	88.2	107.8
63	4	2.52	60.48	65.52
41	10	4.1	36.9	45.1
21	8	1.68	19.32	22.68
27	5	1.35	25.65	28.35
70	8	5.6	64.4	75.6
49	1	0.49	48.51	49.49
14	8	1.12	12.88	15.12
31	8	2.48	28.52	33.48
51	1	0.51	50.49	51.51
39	5	1.95	37.05	40.95
79	5	3.95	75.05	82.95
90	5	4.5	85.5	94.5
70	1	0.7	69.3	70.7
14	4	0.56	13.44	14.56
44	2	0.88	43.12	44.88
25	5	1.25	23.75	26.25
19	1	0.19	18.81	19.19
12	10	1.2	10.8	13.2
56	4	2.24	53.76	58.24

7.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
26	5	1.3	24.7	27.3
17	8	1.36	15.64	18.36
17	4	0.68	16.32	17.68
34	5	1.7	32.3	35.7
58	4	2.32	55.68	60.32
19	1	0.19	18.81	19.19
31	1	0.31	30.69	31.31
18	10	1.8	16.2	19.8
36	10	3.6	32.4	39.6
35	4	1.4	33.6	36.4
43	5	2.15	40.85	45.15
21	5	1.05	19.95	22.05
60	5	3.	57.	63.
52	1	0.52	51.48	52.52
45	8	3.6	41.4	48.6
21	1	0.21	20.79	21.21
89	2	1.78	87.22	90.78
85	4	3.4	81.6	88.4
83	2	1.66	81.34	84.66
22	5	1.1	20.9	23.1
96	2	1.92	94.08	97.92
44	1	0.44	43.56	44.44
10	10	1.	9.	11.
74	2	1.48	72.52	75.48
95	5	4.75	90.25	99.75

8.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
53	10	5.3	47.7	58.3
90	10	9.	81.	99.
49	8	3.92	45.08	52.92
79	10	7.9	71.1	86.9
52	4	2.08	49.92	54.08
96	8	7.68	88.32	103.68
27	4	1.08	25.92	28.08
52	4	2.08	49.92	54.08
24	10	2.4	21.6	26.4
28	8	2.24	25.76	30.24
35	8	2.8	32.2	37.8
93	10	9.3	83.7	102.3
16	2	0.32	15.68	16.32
50	5	2.5	47.5	52.5
100	1	1.	99.	101.
39	2	0.78	38.22	39.78
17	2	0.34	16.66	17.34
55	2	1.1	53.9	56.1
55	2	1.1	53.9	56.1
76	8	6.08	69.92	82.08
48	4	1.92	46.08	49.92
91	1	0.91	90.09	91.91
77	2	1.54	75.46	78.54
99	10	9.9	89.1	108.9
48	4	1.92	46.08	49.92

9.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
45	4	1.8	43.2	46.8
45	1	0.45	44.55	45.45
93	5	4.65	88.35	97.65
57	1	0.57	56.43	57.57
56	2	1.12	54.88	57.12
92	10	9.2	82.8	101.2
28	1	0.28	27.72	28.28
49	10	4.9	44.1	53.9
61	2	1.22	59.78	62.22
77	1	0.77	76.23	77.77
85	2	1.7	83.3	86.7
46	5	2.3	43.7	48.3
20	1	0.2	19.8	20.2
30	2	0.6	29.4	30.6
28	2	0.56	27.44	28.56
98	1	0.98	97.02	98.98
83	8	6.64	76.36	89.64
48	10	4.8	43.2	52.8
58	10	5.8	52.2	63.8
37	5	1.85	35.15	38.85
38	4	1.52	36.48	39.52
52	1	0.52	51.48	52.52
20	2	0.4	19.6	20.4
100	10	10.	90.	110.
86	8	6.88	79.12	92.88

10.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
72	10	7.2	64.8	79.2
37	4	1.48	35.52	38.48
15	8	1.2	13.8	16.2
40	5	2.	38.	42.
68	8	5.44	62.56	73.44
57	2	1.14	55.86	58.14
34	4	1.36	32.64	35.36
65	4	2.6	62.4	67.6
79	5	3.95	75.05	82.95
60	4	2.4	57.6	62.4
52	4	2.08	49.92	54.08
35	4	1.4	33.6	36.4
91	10	9.1	81.9	100.1
18	2	0.36	17.64	18.36
21	4	0.84	20.16	21.84
46	5	2.3	43.7	48.3
32	8	2.56	29.44	34.56
55	2	1.1	53.9	56.1
47	10	4.7	42.3	51.7
100	4	4.	96.	104.
13	8	1.04	11.96	14.04
26	5	1.3	24.7	27.3
23	5	1.15	21.85	24.15
82	1	0.82	81.18	82.82
29	8	2.32	26.68	31.32

11.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
68	4	2.72	65.28	70.72
96	8	7.68	88.32	103.68
53	1	0.53	52.47	53.53
60	1	0.6	59.4	60.6
64	2	1.28	62.72	65.28
57	10	5.7	51.3	62.7
35	5	1.75	33.25	36.75
43	5	2.15	40.85	45.15
21	2	0.42	20.58	21.42
27	4	1.08	25.92	28.08
69	5	3.45	65.55	72.45
82	10	8.2	73.8	90.2
32	1	0.32	31.68	32.32
47	4	1.88	45.12	48.88
80	8	6.4	73.6	86.4
38	10	3.8	34.2	41.8
94	10	9.4	84.6	103.4
71	5	3.55	67.45	74.55
90	1	0.9	89.1	90.9
73	4	2.92	70.08	75.92
72	10	7.2	64.8	79.2
28	1	0.28	27.72	28.28
37	10	3.7	33.3	40.7
69	5	3.45	65.55	72.45
24	1	0.24	23.76	24.24

12.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
52	1	0.52	51.48	52.52
90	5	4.5	85.5	94.5
64	1	0.64	63.36	64.64
59	1	0.59	58.41	59.59
60	8	4.8	55.2	64.8
53	10	5.3	47.7	58.3
14	8	1.12	12.88	15.12
58	1	0.58	57.42	58.58
47	1	0.47	46.53	47.47
37	10	3.7	33.3	40.7
92	10	9.2	82.8	101.2
12	10	1.2	10.8	13.2
79	5	3.95	75.05	82.95
27	8	2.16	24.84	29.16
96	4	3.84	92.16	99.84
65	1	0.65	64.35	65.65
52	1	0.52	51.48	52.52
15	5	0.75	14.25	15.75
93	8	7.44	85.56	100.44
48	10	4.8	43.2	52.8
58	10	5.8	52.2	63.8
18	10	1.8	16.2	19.8
32	4	1.28	30.72	33.28
21	2	0.42	20.58	21.42
17	10	1.7	15.3	18.7

13.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
65	5	3.25	61.75	68.25
45	5	2.25	42.75	47.25
17	10	1.7	15.3	18.7
22	5	1.1	20.9	23.1
43	4	1.72	41.28	44.72
54	10	5.4	48.6	59.4
80	5	4.	76.	84.
94	10	9.4	84.6	103.4
48	2	0.96	47.04	48.96
37	1	0.37	36.63	37.37
33	4	1.32	31.68	34.32
53	8	4.24	48.76	57.24
10	8	0.8	9.2	10.8
55	5	2.75	52.25	57.75
79	8	6.32	72.68	85.32
95	2	1.9	93.1	96.9
10	8	0.8	9.2	10.8
24	10	2.4	21.6	26.4
15	8	1.2	13.8	16.2
91	10	9.1	81.9	100.1
81	5	4.05	76.95	85.05
45	4	1.8	43.2	46.8
34	5	1.7	32.3	35.7
56	2	1.12	54.88	57.12
73	10	7.3	65.7	80.3

14.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
98	2	1.96	96.04	99.96
98	8	7.84	90.16	105.84
17	5	0.85	16.15	17.85
75	1	0.75	74.25	75.75
41	8	3.28	37.72	44.28
55	10	5.5	49.5	60.5
92	1	0.92	91.08	92.92
63	10	6.3	56.7	69.3
42	2	0.84	41.16	42.84
36	10	3.6	32.4	39.6
78	5	3.9	74.1	81.9
64	4	2.56	61.44	66.56
74	4	2.96	71.04	76.96
36	4	1.44	34.56	37.44
92	4	3.68	88.32	95.68
27	1	0.27	26.73	27.27
40	10	4.	36.	44.
76	1	0.76	75.24	76.76
50	4	2.	48.	52.
51	10	5.1	45.9	56.1
89	5	4.45	84.55	93.45
28	8	2.24	25.76	30.24
50	10	5.	45.	55.
42	10	4.2	37.8	46.2
48	8	3.84	44.16	51.84

15.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
58	10	5.8	52.2	63.8
43	1	0.43	42.57	43.43
47	8	3.76	43.24	50.76
100	5	5.	95.	105.
82	2	1.64	80.36	83.64
38	5	1.9	36.1	39.9
47	4	1.88	45.12	48.88
62	5	3.1	58.9	65.1
93	10	9.3	83.7	102.3
94	10	9.4	84.6	103.4
10	1	0.1	9.9	10.1
54	1	0.54	53.46	54.54
26	1	0.26	25.74	26.26
91	8	7.28	83.72	98.28
23	4	0.92	22.08	23.92
18	2	0.36	17.64	18.36
88	4	3.52	84.48	91.52
66	8	5.28	60.72	71.28
92	1	0.92	91.08	92.92
40	5	2.	38.	42.
49	1	0.49	48.51	49.49
92	8	7.36	84.64	99.36
40	1	0.4	39.6	40.4
82	10	8.2	73.8	90.2
73	8	5.84	67.16	78.84

16.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
29	2	0.58	28.42	29.58
22	8	1.76	20.24	23.76
66	1	0.66	65.34	66.66
21	8	1.68	19.32	22.68
89	8	7.12	81.88	96.12
75	5	3.75	71.25	78.75
92	4	3.68	88.32	95.68
62	1	0.62	61.38	62.62
18	8	1.44	16.56	19.44
97	10	9.7	87.3	106.7
57	8	4.56	52.44	61.56
76	1	0.76	75.24	76.76
58	8	4.64	53.36	62.64
50	10	5.	45.	55.
72	1	0.72	71.28	72.72
44	1	0.44	43.56	44.44
36	8	2.88	33.12	38.88
54	8	4.32	49.68	58.32
100	2	2.	98.	102.
84	10	8.4	75.6	92.4
39	2	0.78	38.22	39.78
98	4	3.92	94.08	101.92
37	4	1.48	35.52	38.48
46	10	4.6	41.4	50.6
19	10	1.9	17.1	20.9

17.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
22	8	1.76	20.24	23.76
74	2	1.48	72.52	75.48
96	4	3.84	92.16	99.84
65	2	1.3	63.7	66.3
50	8	4.	46.	54.
69	2	1.38	67.62	70.38
65	4	2.6	62.4	67.6
53	5	2.65	50.35	55.65
64	5	3.2	60.8	67.2
55	8	4.4	50.6	59.4
14	2	0.28	13.72	14.28
98	4	3.92	94.08	101.92
42	5	2.1	39.9	44.1
71	2	1.42	69.58	72.42
47	10	4.7	42.3	51.7
45	2	0.9	44.1	45.9
79	8	6.32	72.68	85.32
39	10	3.9	35.1	42.9
32	1	0.32	31.68	32.32
17	1	0.17	16.83	17.17
57	4	2.28	54.72	59.28
29	2	0.58	28.42	29.58
59	5	2.95	56.05	61.95
68	4	2.72	65.28	70.72
83	4	3.32	79.68	86.32

18.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
59	10	5.9	53.1	64.9
37	2	0.74	36.26	37.74
27	1	0.27	26.73	27.27
48	8	3.84	44.16	51.84
77	4	3.08	73.92	80.08
90	8	7.2	82.8	97.2
68	1	0.68	67.32	68.68
65	8	5.2	59.8	70.2
24	10	2.4	21.6	26.4
14	8	1.12	12.88	15.12
50	5	2.5	47.5	52.5
62	5	3.1	58.9	65.1
38	10	3.8	34.2	41.8
49	5	2.45	46.55	51.45
47	5	2.35	44.65	49.35
62	2	1.24	60.76	63.24
68	1	0.68	67.32	68.68
82	2	1.64	80.36	83.64
79	2	1.58	77.42	80.58
79	4	3.16	75.84	82.16
94	8	7.52	86.48	101.52
17	4	0.68	16.32	17.68
50	5	2.5	47.5	52.5
86	10	8.6	77.4	94.6
81	4	3.24	77.76	84.24

19.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
30	2	0.6	29.4	30.6
70	2	1.4	68.6	71.4
77	5	3.85	73.15	80.85
45	1	0.45	44.55	45.45
29	10	2.9	26.1	31.9
77	2	1.54	75.46	78.54
92	8	7.36	84.64	99.36
18	2	0.36	17.64	18.36
33	10	3.3	29.7	36.3
39	8	3.12	35.88	42.12
19	2	0.38	18.62	19.38
49	1	0.49	48.51	49.49
73	4	2.92	70.08	75.92
79	10	7.9	71.1	86.9
56	1	0.56	55.44	56.56
16	1	0.16	15.84	16.16
54	5	2.7	51.3	56.7
85	1	0.85	84.15	85.85
89	2	1.78	87.22	90.78
76	5	3.8	72.2	79.8
35	10	3.5	31.5	38.5
92	1	0.92	91.08	92.92
69	10	6.9	62.1	75.9
70	5	3.5	66.5	73.5
28	2	0.56	27.44	28.56

20.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
60	2	1.2	58.8	61.2
59	1	0.59	58.41	59.59
21	5	1.05	19.95	22.05
84	5	4.2	79.8	88.2
74	1	0.74	73.26	74.74
63	10	6.3	56.7	69.3
59	4	2.36	56.64	61.36
64	4	2.56	61.44	66.56
22	1	0.22	21.78	22.22
100	8	8.	92.	108.
16	4	0.64	15.36	16.64
43	10	4.3	38.7	47.3
10	4	0.4	9.6	10.4
100	4	4.	96.	104.
39	10	3.9	35.1	42.9
35	2	0.7	34.3	35.7
99	2	1.98	97.02	100.98
55	5	2.75	52.25	57.75
55	1	0.55	54.45	55.55
100	4	4.	96.	104.
26	2	0.52	25.48	26.52
24	2	0.48	23.52	24.48
39	1	0.39	38.61	39.39
12	5	0.6	11.4	12.6
58	10	5.8	52.2	63.8

21.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
24	1	0.24	23.76	24.24
71	2	1.42	69.58	72.42
89	10	8.9	80.1	97.9
37	1	0.37	36.63	37.37
53	4	2.12	50.88	55.12
15	2	0.3	14.7	15.3
88	4	3.52	84.48	91.52
70	8	5.6	64.4	75.6
36	4	1.44	34.56	37.44
56	8	4.48	51.52	60.48
54	10	5.4	48.6	59.4
86	8	6.88	79.12	92.88
73	4	2.92	70.08	75.92
15	4	0.6	14.4	15.6
73	2	1.46	71.54	74.46
89	5	4.45	84.55	93.45
55	10	5.5	49.5	60.5
39	5	1.95	37.05	40.95
93	4	3.72	89.28	96.72
20	8	1.6	18.4	21.6
12	5	0.6	11.4	12.6
64	4	2.56	61.44	66.56
34	5	1.7	32.3	35.7
72	1	0.72	71.28	72.72
62	4	2.48	59.52	64.48

22.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
42	2	0.84	41.16	42.84
62	5	3.1	58.9	65.1
72	8	5.76	66.24	77.76
27	1	0.27	26.73	27.27
15	8	1.2	13.8	16.2
86	5	4.3	81.7	90.3
53	1	0.53	52.47	53.53
78	4	3.12	74.88	81.12
15	5	0.75	14.25	15.75
85	2	1.7	83.3	86.7
57	8	4.56	52.44	61.56
16	10	1.6	14.4	17.6
32	10	3.2	28.8	35.2
33	5	1.65	31.35	34.65
75	8	6.	69.	81.
57	8	4.56	52.44	61.56
55	2	1.1	53.9	56.1
15	10	1.5	13.5	16.5
49	1	0.49	48.51	49.49
99	1	0.99	98.01	99.99
51	10	5.1	45.9	56.1
85	4	3.4	81.6	88.4
44	2	0.88	43.12	44.88
49	1	0.49	48.51	49.49
24	5	1.2	22.8	25.2

23.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
44	1	0.44	43.56	44.44
74	1	0.74	73.26	74.74
90	5	4.5	85.5	94.5
19	5	0.95	18.05	19.95
98	10	9.8	88.2	107.8
70	5	3.5	66.5	73.5
98	1	0.98	97.02	98.98
26	10	2.6	23.4	28.6
100	1	1.	99.	101.
85	4	3.4	81.6	88.4
65	10	6.5	58.5	71.5
25	10	2.5	22.5	27.5
71	10	7.1	63.9	78.1
57	5	2.85	54.15	59.85
33	2	0.66	32.34	33.66
92	4	3.68	88.32	95.68
30	2	0.6	29.4	30.6
57	5	2.85	54.15	59.85
51	8	4.08	46.92	55.08
20	5	1.	19.	21.
91	5	4.55	86.45	95.55
80	2	1.6	78.4	81.6
69	5	3.45	65.55	72.45
69	1	0.69	68.31	69.69
76	8	6.08	69.92	82.08

24.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
14	10	1.4	12.6	15.4
81	10	8.1	72.9	89.1
77	8	6.16	70.84	83.16
35	8	2.8	32.2	37.8
43	4	1.72	41.28	44.72
88	8	7.04	80.96	95.04
91	8	7.28	83.72	98.28
56	5	2.8	53.2	58.8
99	4	3.96	95.04	102.96
86	4	3.44	82.56	89.44
74	1	0.74	73.26	74.74
76	2	1.52	74.48	77.52
63	1	0.63	62.37	63.63
78	4	3.12	74.88	81.12
14	2	0.28	13.72	14.28
37	4	1.48	35.52	38.48
70	1	0.7	69.3	70.7
12	4	0.48	11.52	12.48
44	2	0.88	43.12	44.88
100	1	1.	99.	101.
60	10	6.	54.	66.
10	10	1.	9.	11.
68	4	2.72	65.28	70.72
55	5	2.75	52.25	57.75
65	8	5.2	59.8	70.2

25.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
48	4	1.92	46.08	49.92
45	5	2.25	42.75	47.25
81	8	6.48	74.52	87.48
42	5	2.1	39.9	44.1
32	1	0.32	31.68	32.32
51	10	5.1	45.9	56.1
20	10	2.	18.	22.
84	4	3.36	80.64	87.36
27	10	2.7	24.3	29.7
97	8	7.76	89.24	104.76
49	5	2.45	46.55	51.45
32	2	0.64	31.36	32.64
18	8	1.44	16.56	19.44
48	10	4.8	43.2	52.8
24	5	1.2	22.8	25.2
84	10	8.4	75.6	92.4
47	10	4.7	42.3	51.7
75	5	3.75	71.25	78.75
12	4	0.48	11.52	12.48
37	10	3.7	33.3	40.7
11	10	1.1	9.9	12.1
63	8	5.04	57.96	68.04
57	8	4.56	52.44	61.56
21	1	0.21	20.79	21.21
26	10	2.6	23.4	28.6

26.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
96	1	0.96	95.04	96.96
61	1	0.61	60.39	61.61
87	8	6.96	80.04	93.96
66	10	6.6	59.4	72.6
87	8	6.96	80.04	93.96
51	10	5.1	45.9	56.1
94	5	4.7	89.3	98.7
85	2	1.7	83.3	86.7
29	10	2.9	26.1	31.9
77	10	7.7	69.3	84.7
42	5	2.1	39.9	44.1
65	10	6.5	58.5	71.5
59	4	2.36	56.64	61.36
52	5	2.6	49.4	54.6
56	4	2.24	53.76	58.24
64	1	0.64	63.36	64.64
17	8	1.36	15.64	18.36
55	5	2.75	52.25	57.75
72	8	5.76	66.24	77.76
98	8	7.84	90.16	105.84
31	5	1.55	29.45	32.55
60	2	1.2	58.8	61.2
20	5	1.	19.	21.
33	4	1.32	31.68	34.32
27	10	2.7	24.3	29.7

27.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
28	5	1.4	26.6	29.4
88	8	7.04	80.96	95.04
70	8	5.6	64.4	75.6
22	1	0.22	21.78	22.22
31	1	0.31	30.69	31.31
29	8	2.32	26.68	31.32
36	1	0.36	35.64	36.36
17	8	1.36	15.64	18.36
92	8	7.36	84.64	99.36
36	1	0.36	35.64	36.36
25	10	2.5	22.5	27.5
95	1	0.95	94.05	95.95
11	2	0.22	10.78	11.22
60	2	1.2	58.8	61.2
89	5	4.45	84.55	93.45
38	5	1.9	36.1	39.9
96	10	9.6	86.4	105.6
62	5	3.1	58.9	65.1
42	10	4.2	37.8	46.2
23	8	1.84	21.16	24.84
81	4	3.24	77.76	84.24
42	1	0.42	41.58	42.42
23	4	0.92	22.08	23.92
12	4	0.48	11.52	12.48
26	2	0.52	25.48	26.52

28.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
37	2	0.74	36.26	37.74
59	5	2.95	56.05	61.95
15	8	1.2	13.8	16.2
52	1	0.52	51.48	52.52
87	10	8.7	78.3	95.7
25	2	0.5	24.5	25.5
51	5	2.55	48.45	53.55
69	1	0.69	68.31	69.69
99	4	3.96	95.04	102.96
73	5	3.65	69.35	76.65
81	5	4.05	76.95	85.05
60	2	1.2	58.8	61.2
25	5	1.25	23.75	26.25
82	5	4.1	77.9	86.1
60	2	1.2	58.8	61.2
30	5	1.5	28.5	31.5
76	5	3.8	72.2	79.8
73	4	2.92	70.08	75.92
53	10	5.3	47.7	58.3
95	5	4.75	90.25	99.75
89	2	1.78	87.22	90.78
95	4	3.8	91.2	98.8
87	8	6.96	80.04	93.96
14	1	0.14	13.86	14.14
93	1	0.93	92.07	93.93

29.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
74	2	1.48	72.52	75.48
63	4	2.52	60.48	65.52
32	4	1.28	30.72	33.28
18	4	0.72	17.28	18.72
49	10	4.9	44.1	53.9
95	2	1.9	93.1	96.9
25	10	2.5	22.5	27.5
27	4	1.08	25.92	28.08
32	8	2.56	29.44	34.56
22	5	1.1	20.9	23.1
87	1	0.87	86.13	87.87
42	1	0.42	41.58	42.42
17	4	0.68	16.32	17.68
87	2	1.74	85.26	88.74
96	10	9.6	86.4	105.6
13	1	0.13	12.87	13.13
42	5	2.1	39.9	44.1
59	5	2.95	56.05	61.95
86	5	4.3	81.7	90.3
17	8	1.36	15.64	18.36
50	10	5.	45.	55.
96	5	4.8	91.2	100.8
34	4	1.36	32.64	35.36
100	5	5.	95.	105.
69	4	2.76	66.24	71.76

30.

meritev	napaka v %	napaka	spodnja meja	zgornja meja
92	8	7.36	84.64	99.36
51	10	5.1	45.9	56.1
22	1	0.22	21.78	22.22
61	10	6.1	54.9	67.1
30	2	0.6	29.4	30.6
66	10	6.6	59.4	72.6
17	8	1.36	15.64	18.36
82	10	8.2	73.8	90.2
69	4	2.76	66.24	71.76
14	2	0.28	13.72	14.28
10	10	1.	9.	11.
12	5	0.6	11.4	12.6
46	4	1.84	44.16	47.84
45	4	1.8	43.2	46.8
60	5	3.	57.	63.
28	1	0.28	27.72	28.28
29	5	1.45	27.55	30.45
98	8	7.84	90.16	105.84
84	8	6.72	77.28	90.72
87	5	4.35	82.65	91.35
86	4	3.44	82.56	89.44
35	8	2.8	32.2	37.8
55	10	5.5	49.5	60.5
79	2	1.58	77.42	80.58
30	10	3.	27.	33.